

## Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry	19 20 003 1640	1 x 20		
Hoods top entry	19 20 003 1440	1 x 20		
Hoods top entry	6 ... 12 mm 19 20 003 1421 11 ... 17 mm 19 20 003 1422			
Protection covers for hoods	09 20 003 5422 <sup>2)</sup> 09 20 003 5421 <sup>1)</sup>			

## Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting	09 20 003 0301			

<sup>1)</sup> for mounted female insert  
<sup>2)</sup> for mounted male insert

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Angled bulkhead mounted housing	09 20 003 0810		 Panel cut out <b>□22</b> 20 30	 Dimensions: 30 (height), 20 (width), 30 (depth), 43,5 (overall width), 28,8 (overall height), 53,2 (overall depth)
Housings, bulkhead mounting	09 20 003 0306		 Panel cut out <b>□22</b> 28 35	 Dimensions: 3,5 (height), 40 (width), 30 (depth), 23 (overall height), 17 (overall width), 16 (overall depth)
	09 20 003 0801		 Panel cut out <b>□22</b> 30	 Dimensions: 4 (height), 28 (width), 30 (depth), 52 (overall height), 41 (overall width), 24 (overall depth)
Housings, surface mounting	19 20 003 1250	1 x 20	 Panel cut out <b>□22</b> 30 28	 Dimensions: 4 (height), 40 (width), 27 (depth), M (overall height), 57,6 (overall width), 24,5 (overall depth)
top entry	bottom closed 19 20 003 1252	1 x 20		 Panel cut out <b>□22</b> 30 28
Housings, screw mounting	19 20 003 1150	1 x 20	 Dimensions: M (height), 24 (width), 125 (depth), 48 (overall height), 25 (overall width)	
top entry				

<sup>1)</sup> for mounted female insert  
<sup>2)</sup> for mounted male insert

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Cable to cable housing	19 20 003 1120	M20	 Panel cut out	
Hoods, cable to cable top entry	19 20 003 1750	1 x 20		
Protection covers	for housings <b>09 20 003 5426<sup>2)</sup></b> for housings <b>09 20 003 5425<sup>1)</sup></b> for hoods cable to cable <b>09 20 003 5428<sup>2)</sup></b> for hoods cable to cable <b>09 20 003 5427<sup>1)</sup></b>			

Plastic hoods/housings for industrial applications / 1 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry	light grey 19 20 003 0620 black 19 20 003 0627	1 x 20 1 x 20		
Hoods top entry	light grey 19 20 003 0420 black 19 20 003 0427	1 x 20 1 x 20		
Hoods top entry	light grey 9 ... 17 mm 19 20 003 0410			
Protection covers for hoods	light grey 09 20 003 5442 <sup>3)</sup> light grey 09 20 003 5441 <sup>2)</sup>			

<sup>1)</sup> for metal housings and cable to cable hoods also  
<sup>2)</sup> for mounted female insert or for mounted Han-Brid® insert

<sup>3)</sup> for mounted male insert

Stock items in bold type

## Plastic hoods/housings for industrial applications / 1 lever locking system








Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting	light grey 09 20 003 0320 black 09 20 003 0327	Ø32		Panel cut out 22 x 22 mm
	light grey 09 20 003 0820 black 09 20 003 0827	Ø3,3		Panel cut out 22 x 22 mm
Housings, surface mounting top entry	light grey 19 20 003 0220 black 19 20 003 0227	1 x 20 1 x 20		Panel cut out 22 x 22 mm
Hoods, cable to cable top entry	light grey 19 20 003 0720 black 19 20 003 0727	1 x 20 1 x 20		
Protection covers for housings	light grey 09 20 003 5407 <sup>1)</sup> light grey 09 20 003 5408 <sup>1,2)</sup>			
Protection cover with lanyard	light grey 09 20 003 5445 <sup>2)</sup> light grey 09 20 003 5446 <sup>3)</sup> black 09 20 003 5449 <sup>2)</sup> black 09 20 003 5450 <sup>3)</sup>			
Protection covers for hoods cable to cable	light grey 09 20 003 5447 <sup>2)</sup> light grey 09 20 003 5448 <sup>3)</sup>			

<sup>1)</sup> for metal housings and cable to cable hoods also<sup>3)</sup> for mounted male insert<sup>2)</sup> for mounted female insert or for mounted Han-Brid® insert

Metal hoods/housings for industrial applications / 1 lever locking system










Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry		19 20 010 1540			
Hoods top entry		19 20 010 1440			
Protection covers		metal 09 20 010 5423	metal 09 20 010 5423		
Han Hoods Housings					

## Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting	 <b>09 20 010 0301</b> with thermo- plastic cover <b>09 20 010 0321</b>			 Panel cut out	
Housings, surface mounting side entry	 <b>19 20 010 0251<sup>1)</sup></b> <b>19 20 010 0290</b>		1 x 25 2 x 20		
side entry	 with thermo- plastic cover <b>19 20 010 0295</b>		2 x 20		
Protection covers	 metal <b>09 20 010 5425</b>				

<sup>1)</sup> only metal glands

Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry		19 20 016 1540			
side entry		19 20 016 0546	1 x 25		
Hoods top entry		19 20 016 1440	1 x 20		
top entry		19 20 016 0446	1 x 25		
Protection covers		metal 09 20 016 5423	metal 09 20 016 5423		
					Han Hoods Housings

## Metal hoods/housings for industrial applications / 1 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting	 09 20 016 0301 with thermo- plastic cover 09 20 016 0321				Panel cut out
Housings, surface mounting side entry		19 20 016 0251 <sup>1)</sup> 19 20 016 0290 19 20 016 0291 with thermo- plastic cover 19 20 016 0295	1 x 25 2 x 20 2 x 25 2 x 20		
Protection covers		metal 09 20 016 5425			

## Metal hoods/housings for industrial applications / 2 lever locking system


Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry	19 20 032 1521	19 20 032 0527	1 x 25 1 x 32		
side entry					
Hoods top entry	19 20 032 0426 19 20 032 0427	19 20 032 0426 19 20 032 0427	1 x 25 1 x 32		
Dust protection cover	09 20 032 5401	09 20 032 5401			

## Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting	09 20 032 0301				
Housings, surface mounting side entry	19 20 032 0231 19 20 032 0232 19 20 032 0272		1 x 25 1 x 32 2 x 32		

\* usable for two inserts of size 16 A  
Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Dust protection cover	09 20 032 5405	09 20 032 5405			
					Han Hoods Housings

## Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry		19 20 032 1531			
Hoods top entry			19 20 032 0437		

## Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting		with thermo- plastic cover 09 20 032 0302			

\* usable for two inserts of size 16 A  
Stock items in bold type

Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number Low construction	Part number High construction	Cable entry metric	Drawing	Dimensions in mm
Housings, surface mounting  side entry		with thermo- plastic cover 19 20 032 0226	1 x 25		<p>1) Blind way for one cable entry</p>

Han Hoods  
Housings

31  
29

\* usable for two inserts of size 16 A  
Stock items in bold type